

Alexa Fluor® 647 anti-FOLR1 (Folate Binding Protein) Antibody

Catalog# / Size	908307 / 25 µg 908308 / 100 µg
Clone	LK26
Regulatory Status	RUO
Other Names	Folate receptor alpha, FR-alpha, KB cells FBP, folate binding protein, folate receptor, adult, adult folate-binding protein, ovarian tumor-associated antigen MOv18
Isotype	Mouse IgG2a, κ
Description	Folate receptor (FOLR1), also known as folate receptor alpha, is a folate-binding protein (FBP) expressed in adults. It has high affinity for folic acid and its metabolites, including 5-methyltetrahydrofolate (5-MTHF), the biologically active form of folic acid used for DNA synthesis and the cysteine cycle. FOLR1 mediates intracellular delivery of 5-MTHF. FOLR1 is overexpressed in a variety of tumors, including breast, colorectal, and brain.

Product Details

Verified Reactivity	Human
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	This antibody was generated against gestational choriocarcinoma cell line, Lu-75 and detects folate-binding protein (FBP).
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide
Preparation	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor® 647 under optimal conditions.
Concentration	0.5 mg/mL
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested ICC, IHC-F - Verified

Recommended Usage Each lot of this antibody is quality control tested by [immunofluorescent staining with flow cytometric analysis](#). For flow cytometric staining, the suggested use of this reagent is ≤ 0.06 µg per million cells in 100 µL volume. For immunocytochemistry, a concentration range of 1.25 - 10.0 µg/mL is recommended. For immunohistochemistry, a concentration range of 1.0 - 10.0 µg/mL is suggested. It is recommended that the reagent be titrated for optimal performance for each application.

* Alexa Fluor® 647 has a maximum emission of 668 nm when it is excited at 633 nm / 635 nm.

Alexa Fluor® and Pacific Blue™ are trademarks of Life Technologies Corporation.

[View full statement regarding label licenses](#)

Excitation Laser Red Laser (633 nm)

Additional Product Notes For use in immunocytochemistry (ICC), it is recommended to fix/permeabilize with any of the following:
-Fixation buffer (Cat. No. 420801) with 0.5 % Triton X-100
-Fixation buffer (Cat. No. 420801) with 100% ice-cold methanol
-100% ice-cold methanol only

For use in flow cytometry (FC), the 25 µg size is equivalent to approximately 400 tests. The 100 µg size is equivalent to 1600 tests.

Application References

(PubMed link indicates BioLegend citation)

1. Hviid TV, et al. 1999. *Prenat Diagn.* 19: 271.
2. Chesa-Garin P, et al. 1993. *Am J Pathol.* 142: 557.
3. Rettig WJ, et al. 1985. *Int J Cancer.* 35:469.

RRID

AB_3720528 (BioLegend Cat. No. 908307)
AB_3720528 (BioLegend Cat. No. 908308)

Antigen Details

Structure	The LK26 antigen is a 29.8 kD cell surface glycoprotein.
Biology Area	DNA Repair/Replication, Stem Cells
Molecular Family	Carrier Proteins
Gene ID	2348


Related Protocols

- [Immunohistochemistry Protocol for Frozen Sections](#)
- [Cell Surface Flow Cytometry Staining Protocol](#)
- [Immunocytochemistry Staining Protocol](#)


Other Formats

Purified anti-FOLR1 (Folate Binding Protein), PE anti-FOLR1 (Folate Binding Protein), TotalSeq™- A1592 anti-FOLR1 (Folate Binding Protein), Alexa Fluor® 488 anti-FOLR1 (Folate Binding Protein) Antibody, Alexa Fluor® 647 anti-FOLR1 (Folate Binding Protein) Antibody


Product Data



KB cells (positive control, filled histogram) and U-251 MG cells (negative control, open histogram) were stained with Alexa Fluor® 647 anti-FOLR1 (clone LK26), or Alexa Fluor® 647 mouse IgG2a, κ Isotype Control (Cat No. 400233) (dashed histogram, representative histogram for both cell lines).



U-251 MG cells (negative cell line, panel A) and KB cells (positive cell line, panel B) were fixed with 4% PFA Fixation Buffer (Cat. No. 420801) for 10 minutes and permeabilized with 100% ice-cold methanol for 10 minutes and blocked with 5% FBS for 1 hour at room temperature. Cells were then stained with Alexa Fluor® 647 anti-FOLR1 (clone LK26, magenta). Microtubules were counterstained with Flash Phalloidin Red 594 (Cat. No. 424203, green), and nuclei were counterstained with DAPI (Cat. No. 422801, blue). The images were captured on a Revvity Operetta CLS™ High Content Analysis System with a 63X objective and merged. Scale bar: 50 μm



IHC staining of Alexa Fluor® 647 anti-FOLR1 (clone LK26) on frozen human placenta tissue. The tissue was incubated without (panel A) and with (panel B) Alexa Fluor® 647 anti-FOLR1 (clone LK26). Nuclei were counterstained with DAPI (Cat. No. 422801). Images were captured with a 40X objective and merged. Scale bar: 50 µm

For Research Use Only. Not for diagnostic or therapeutic use.

This product is supplied subject to the terms and conditions, including the limited license, located at www.biolegend.com/terms ("Terms") and may be used only as provided in the Terms. Without limiting the foregoing, BioLegend products may not be used for any Commercial Purpose as defined in the Terms, resold in any form, used in manufacturing, or reverse engineered, sequenced, or otherwise studied or used to learn its design or composition without express written approval of BioLegend. Regardless of the information given in this document, user is solely responsible for determining any license requirements necessary for user's intended use and assumes all risk and liability arising from use of the product. BioLegend is not responsible for patent infringement or any other risks or liabilities whatsoever resulting from the use of its products.

BioLegend, the BioLegend logo, and all other trademarks are property of BioLegend, Inc. or their respective owners, and all rights are reserved.

8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587