

Brilliant Violet 605™ anti-mouse NK-1.1 Antibody

Catalog# / Size	156547 / 50 µg
Clone	S17016D
Regulatory Status	RUO
Other Names	NKR-P1C, NKR-P1B, Ly-55, CD161b, CD161c
Isotype	Mouse IgG2a, κ
Description	NK-1.1 surface antigen, also known as CD161b/CD161c and Ly-55, is encoded by the NKR-P1B/NKR-P1C gene. It is expressed on NK cells and NK-T cells in some mouse strains, including C57BL/6, FVB/N, and NZB, but not AKR, BALB/c, CBA/J, C3H, DBA/1, DBA/2, NOD, SJL, and 129. Expression of NKR-P1C antigen has been correlated with lysis of tumor cells <i>in vitro</i> and rejection of bone marrow allografts <i>in vivo</i> . NK-1.1 has also been shown to play a role in NK cell activation, IFN-γ production, and cytotoxic granule release. NK-1.1 and DX5 are commonly used as mouse NK cell markers.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	Mouse NK1.1-transfectants
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
Preparation	The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 605™ under optimal conditions.
Concentration	0.2 mg/mL
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	<p>Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is ≤ 0.5 µg per million cells in 100 µL volume. It is recommended that the reagent be titrated for optimal performance for each application.</p> <p>Brilliant Violet 605™ excites at 405 nm and emits at 603 nm. The bandpass filter 610/20 nm is recommended for detection, although filter optimization may be required depending on other fluorophores used. Be sure to verify that your cytometer configuration and software setup are appropriate for detecting this channel. Refer to your instrument manual or manufacturer for support. Brilliant Violet 605™ is a trademark of Sirigen Group Ltd.</p> <p>Learn more about Brilliant Violet™.</p> <p>This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.</p>
Excitation Laser	Violet Laser (405 nm)
Application Notes	Clone S17016D cross-blocks anti-mouse NK1.1 clone PK136, and can stain for NK1.1 post-

formaldehyde and methanol-based fixation based on in-house testing.

RRID AB_3662406 (BioLegend Cat. No. 156547)

Antigen Details

Structure	NKR-P1 gene family
Distribution	NK and NK-T cells in the NK1.1 mouse strains (C57BL, FVB/N, NZB)
Function	NK cell activation, IFN- γ production, cytotoxic granule release
Cell Type	NK cells, NKT cells
Biology Area	Immunology, Innate Immunity

Antigen References

1. Lanier LL. 1997. *Immunity* 6:371.
2. Yokoyama WM, Seaman WE. 1993. *Annu. Rev. Immunol.* 11:613.
3. Koo GC, et al. 1986. *J. Immunol.* 137:3742.
4. Giorda R, Trucco M. 1991. *J. Immunol.* 147:1701.

Gene ID [17059](#)


Related Protocols

- [Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

PE anti-mouse NK-1.1, Purified anti-mouse NK-1.1, APC anti-mouse NK-1.1, FITC anti-mouse NK-1.1, APC/Cyanine7 anti-mouse NK-1.1 Antibody, PE/Cyanine7 anti-mouse NK-1.1 Antibody, APC/Fire™ 750 anti-mouse NK-1.1, Alexa Fluor® 700 anti-mouse NK-1.1 Antibody, PE/Dazzle™ 594 anti-mouse NK-1.1, APC/Fire™ 810 anti-mouse NK-1.1, PerCP/Cyanine5.5 anti-mouse NK-1.1, PE/Cyanine5 anti-mouse NK-1.1, KIRAVIA Blue 520™ anti-mouse NK-1.1, Spark NIR™ 685 anti-mouse NK-1.1 Antibody, Spark YG™ 581 anti-mouse NK-1.1, PE/Fire™ 700 anti-mouse NK-1.1, Spark Red™ 718 anti-mouse NK-1.1, PE/Fire™ 810 anti-mouse NK-1.1, Brilliant Violet 421™ anti-mouse NK-1.1, Brilliant Violet 785™ anti-mouse NK-1.1, Brilliant Violet 711™ anti-mouse NK-1.1, Brilliant Violet 650™ anti-mouse NK-1.1, PE/Fire™ 640 anti-mouse NK-1.1, Brilliant Violet 605™ anti-mouse NK-1.1, PerCP/Fire™ 780 anti-mouse NK-1.1, Spark Blue™ 550 anti-mouse NK1.1 (Flexi-Fluor™), Spark Blue™ 574 anti-mouse NK1.1 (Flexi-Fluor™) Antibody

Product Data



C57BL/6 mouse splenocytes were stained with anti-mouse CD49b (clone DX5) FITC and anti-mouse NK-1.1 (clone S17016D) Brilliant Violet 605™ (left) or mouse IgG2a, κ Brilliant Violet 605™ isotype control (right).

For Research Use Only. Not for diagnostic or therapeutic use.

This product is supplied subject to the terms and conditions, including the limited license, located at www.biolegend.com/terms ("Terms") and may be used only as provided in the Terms. Without limiting the foregoing, BioLegend products may not be used for any Commercial Purpose as defined in the Terms, resold in any form, used in manufacturing, or reverse engineered, sequenced, or otherwise studied or used to learn its design or composition without express written approval of BioLegend. Regardless of the information given in this document, user is solely responsible for determining any license requirements necessary for user's intended

use and assumes all risk and liability arising from use of the product. BioLegend is not responsible for patent infringement or any other risks or liabilities whatsoever resulting from the use of its products.

BioLegend, the BioLegend logo, and all other trademarks are property of BioLegend, Inc. or their respective owners, and all rights are reserved.

8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587