

PerCP/Fire™ 806 anti-mouse CD127 (IL-7R α) Antibody

Catalog# / Size	158221 / 25 μ g 158222 / 100 μ g
Clone	S18006K
Regulatory Status	RUO
Other Names	IL-7 receptor α chain, IL-7R α
Isotype	Rat IgG2b, λ
Description	CD127 is a 60-90 kD type I transmembrane glycoprotein also known as IL-7 receptor α chain or IL-7R α . It forms a heterodimer with the common γ chain (γ c or CD132) which is shared with the receptors for IL-2, IL-4, IL-9, IL-13, IL-15, and IL-21. CD127 is expressed on immature B cells through early pre-B stage, thymocytes (except CD4/CD8 double positive thymocytes), peripheral T cells, and bone marrow stromal cells. CD127 has been reported to be an useful marker for identifying memory and effector T cells. The ligation of IL-7 with its receptor is important for stimulation of mature and immature T cells as well as immature B cells proliferation and development.

Product Details

Verified Reactivity	Mouse
Antibody Type	Monoclonal
Host Species	Rat
Immunogen	Mouse IL7R-transfectants
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide
Preparation	The antibody was purified by affinity chromatography and conjugated with PerCP/Fire™ 806 under optimal conditions.
Concentration	0.2 mg/mL
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is ≤ 0.125 μ g per million cells in 100 μ L volume. It is recommended that the reagent be titrated for optimal performance for each application. * PerCP/Fire™ 806 has a maximum excitation of 478 nm and a maximum emission of 806 nm.
Excitation Laser	Blue Laser (488 nm)
Application Notes	Clone S18006K is able to completely block the binding of clone SB/199 and partially block the binding of clone A7R34 to IL-7R α .
RRID	AB_3675009 (BioLegend Cat. No. 158221) AB_3675009 (BioLegend Cat. No. 158222)

Antigen Details

Structure	Type I transmembrane glycoprotein, associate with CD132, 60-90 kD
------------------	---

Distribution	Immature B cells through early pre-B stage, thymocytes (except CD4/CD8 double positive thymocytes), peripheral T cells, bone marrow stromal cells
Function	T cell and immature B cell proliferation and development
Ligand/Receptor	IL-7
Cell Type	B cells, T cells, Thymocytes
Biology Area	Immunology, Signal Transduction
Molecular Family	CD Molecules, Cytokine/Chemokine Receptors
Antigen References	<ol style="list-style-type: none"> 1. Sudo T, <i>et al.</i> 1993. <i>Proc Natl Acad Sci USA.</i> 90:9125. 2. Okuno Y, <i>et al.</i> 2002. <i>Proc Natl Acad Sci USA.</i> 99:6246. 3. Pillai M, <i>et al.</i> 2004. <i>Leuk Lymphoma.</i> 45:2403.
Gene ID	16197


Related Protocols

- [Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-mouse CD127 (IL-7R α), PE anti-mouse CD127 (IL-7R α), APC anti-mouse CD127 (IL-7R α) Antibody, FITC anti-mouse CD127 (IL-7R α), KIRAVIA Blue 520™ anti-mouse CD127 (IL-7R α), PE/Cyanine7 anti-mouse CD127 (IL-7R α), PE/Fire™ 640 anti-mouse CD127 (IL-7R α), PE/Fire™ 700 anti-mouse CD127 (IL-7R α), PE/Fire™ 744 anti-mouse CD127 (IL-7R α), APC/Fire™ 810 anti-mouse CD127 (IL-7R α), PerCP/Fire™ 806 anti-mouse CD127 (IL-7R α), PerCP/Fire™ 780 anti-mouse CD127 (IL-7R α) Antibody

Product Data



C57BL/6 mouse splenocytes were stained with anti-mouse CD3 ϵ (clone 145-2C11) FITC and anti-mouse CD127 (IL-7R α) (clone S18006K) PerCP/Fire™ 806 (left) or stained with anti-mouse CD3 ϵ (clone 145-2C11) FITC only (right).

For Research Use Only. Not for diagnostic or therapeutic use.

This product is supplied subject to the terms and conditions, including the limited license, located at www.biolegend.com/terms ("Terms") and may be used only as provided in the Terms. Without limiting the foregoing, BioLegend products may not be used for any Commercial Purpose as defined in the Terms, resold in any form, used in manufacturing, or reverse engineered, sequenced, or otherwise studied or used to learn its design or composition without express written approval of BioLegend. Regardless of the information given in this document, user is solely responsible for determining any license requirements necessary for user's intended use and assumes all risk and liability arising from use of the product. BioLegend is not responsible for patent infringement or any other risks or liabilities whatsoever resulting from the use of its products.

BioLegend, the BioLegend logo, and all other trademarks are property of BioLegend, Inc. or their respective owners, and all rights are reserved.

8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587