

Spark PLUS UV395™ anti-human IgM Antibody

Catalog# / Size	314567 / 25 tests 314568 / 100 tests
Clone	MHM-88
Regulatory Status	RUO
Other Names	Immunoglobulin M
Isotype	Mouse IgG1, κ
Description	IgM is the first immunoglobulin made by B cells in the immune response. Surface IgM is expressed on immature and mature B cells, while IgM heavy (μ) chain is expressed intracellularly in pre-B cells.

Product Details

Verified Reactivity	Human
Reported Reactivity	African Green, Baboon, Cynomolgus, Rhesus
Antibody Type	Monoclonal
Host Species	Mouse
Immunogen	Human Ig cocktail
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
Preparation	The antibody was purified by affinity chromatography and conjugated with Spark PLUS UV395™ under optimal conditions.
Concentration	Lot-specific (to obtain lot-specific concentration and expiration, please enter the lot number in our Certificate of Analysis online tool.)
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.
Application	FC - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis . For flow cytometric staining, the suggested use of this reagent is 5 μ L per million cells in 100 μ L staining volume or 5 μ L per 100 μ L of whole blood. It is recommended that the reagent be titrated for optimal performance for each application. * Spark PLUS UV395™ has a maximum excitation of 355 nm and a maximum emission of 385 nm.
Excitation Laser	Ultraviolet Laser (355 nm)
Application Notes	MHM-88 antibody reacts with both soluble and membrane human immunoglobulin M (IgM). It does not react with other Ig isotypes. Additional reported applications (for the relevant formats) include: use as a primary or secondary reagent for ELISA analysis. Due to the presence of excess soluble IgM in whole blood, which competes for antibody binding, staining for IgM on cells in whole blood is not recommended.
Application References	1. Perez-Shiyama C, <i>et al.</i> 2014. <i>J Immunol.</i> 192:5192. PubMed
(PubMed link indicates BioLegend citation)	
RRID	AB_3683329 (BioLegend Cat. No. 314567) AB_3683329 (BioLegend Cat. No. 314568)

Antigen Details

Structure	Ig family
Distribution	B cells
Function	B cell differentiation, humoral immune response; cross-linking surface IgM induces apoptosis
Cell Type	B cells
Biology Area	Immunology
Gene ID	3507


Related Protocols

- [Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-human IgM, PE anti-human IgM, Biotin anti-human IgM, FITC anti-human IgM, APC anti-human IgM, PerCP/Cyanine5.5 anti-human IgM, Pacific Blue™ anti-human IgM, Brilliant Violet 421™ anti-human IgM, APC/Cyanine7 anti-human IgM, Brilliant Violet 570™ anti-human IgM, Brilliant Violet 510™ anti-human IgM, Brilliant Violet 605™ anti-human IgM, Brilliant Violet 650™ anti-human IgM, Purified anti-human IgM (Maxpar® Ready), PE/Dazzle™ 594 anti-human IgM, PE/Cyanine7 anti-human IgM, Alexa Fluor® 488 anti-human IgM, Alexa Fluor® 647 anti-human IgM, Alexa Fluor® 700 anti-human IgM, Brilliant Violet 711™ anti-human IgM, TotalSeq™-A0136 anti-human IgM, TotalSeq™-C0136 anti-human IgM, Brilliant Violet 785™ anti-human IgM, APC/Fire™ 750 anti-human IgM, TotalSeq™-B0136 anti-human IgM, Spark Violet™ 423 anti-human IgM Antibody, TotalSeq™-D0136 anti-human IgM, Spark Blue™ 550 anti-human IgM, Spark Blue™ 515 anti-human IgM, PE/Fire™ 700 anti-human IgM, Spark YG™ 593 anti-human IgM, PE/Fire™ 640 anti-human IgM, Spark Red™ 718 anti-human IgM (Flexi-Fluor™), Brilliant Violet 750™ anti-human IgM, Spark PLUS UV395™ anti-human IgM Antibody

Product Data



Human peripheral blood lymphocytes were stained with anti-human CD19 (clone HIB19) PE/Fire™ 640 and anti-human IgM (clone MHM-88) Spark PLUS UV395™ (left) or mouse IgG1, κ Spark PLUS UV395™ isotype control (right).

For Research Use Only. Not for diagnostic or therapeutic use.

This product is supplied subject to the terms and conditions, including the limited license, located at www.biolegend.com/terms ("Terms") and may be used only as provided in the Terms. Without limiting the foregoing, BioLegend products may not be used for any Commercial Purpose as defined in the Terms, resold in any form, used in manufacturing, or reverse engineered, sequenced, or otherwise studied or used to learn its design or composition without express written approval of BioLegend. Regardless of the information given in this document, user is solely responsible for determining any license requirements necessary for user's intended use and assumes all risk and liability arising from use of the product. BioLegend is not responsible for patent infringement or any other risks or liabilities whatsoever resulting from the use of its products.

BioLegend, the BioLegend logo, and all other trademarks are property of BioLegend, Inc. or their respective owners, and all rights are reserved.

8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587